

HenryGlass®

APERTURE CONTEMPORANEE

PRICE LIST _2023

Rev. 14 of the 01.07.2023

GENERAL TERMS OF SALE

The present general supply conditions, also available from the website www.henryglass.it, where they do not derogate from the special conditions expressly accepted in writing, regulate the supplies of HenryGlass srl, and are an integral and substantial part of all the agreements between HenryGlass srl (henceforth referred to as a Vendor) and the Customer. Any use and / or commercial practice that the client adopts that are different from the present sale conditions will not binding on HenryGlass srl.

1 DEFINITION OF THE ORDER

1.1 Orders have to be sent to HenryGlass srl by email at ordini@henryglass.it or by using the "graphic configurator of HenryGlass".

1.2 As HenryGlass srl products are custom-made and on request of the Client, once received the order, HenryGlass srl will examine it and rework it into a document where prices, qualities, goods and project / drawing descriptions are indicated. The document thus created will be forwarded to the Client who is required to confirm it by putting its stamp and signature.

1.3 Orders will constitute firm and irrevocable proposal of contract only after the Client has sent to Seller the document referred to in paragraph 1.2 with stamp and legible signature.

2 OFFERS

2.1 Every HenryGlass offer is valid for 40 days unless otherwise indicated in the offer.

3 PRICE

3.1 Prices are those indicated in the document referred to in paragraph 1.2.

3.2 Prices on the price list do not include VAT.

3.3 Prices on the price list are understood as follows: for Italy, they include shipping and handling, unless indicated otherwise in the confirmation of the order and / or in other written communications sent by the Seller; for countries rather than Italy, the prices do not include shipping and handling, unless indicated otherwise in the confirmation of the order and / or in other written communications sent by the Seller.

3.4 Possible other expenses will be listed on the order document.

4 PAYMENTS

4.1 Payments must be made within the terms and in the ways agreed upon, save for written agreements. The amounts listed on the invoice are due in full, without rounding and sums and without deductions of costs or any type of charges. Delays in payments give the right to the interest on delayed payments pursuant to the Italian Legislative decree 231/2002, without any communication of default action.

4.2 Delays and irregularities in payments and any other matter (complaints etc) not resolved on previous deliveries of goods, automatically authorize Henry Glass s.r.l. to suspend the order and / or deliveries in progress with express renunciation by the Client for any possible damages.

4.3 Under no circumstances shall the Customer be granted the right to suspend or delay payments, not even in cases of protest, complaint or disputes.

5 OWNERSHIP OF THE MERCHANDISE

5.1 HenryGlass srl reserves the right to the ownership of the merchandise pursuant to Article 1523 of the Italian Civil Code until the complete payment of the agreed upon price. The Seller is authorized to demand the return of the merchandise that has not been completely paid for, withholding what has already been paid as damages, save for the balance. In any case, the risk related to law or damage, for any reason of the merchandise, shall be the full responsibility of the Customer.

6 TERMS OF DELIVERY

6.1 The terms of delivery must always be considered as approximate and do not commit the Seller, unless stated explicitly otherwise.

6.2 Henry Glass s.r.l. pledges to do everything in its power to deliver the merchandise within the terms indicated on the order confirmation document; in any case, HenryGlass srl shall be responsible for any possible delays in the delivery that never give to the Customer the right to make requests for penalties and/or damages, to delay payments or refuse the merchandise.

6.3 Delivery may be extended or suspended in the event that the Customer is not compliant with the provision provided in accordance with article n. 4 of the present sales terms.

6.4 Any change requested in the production phase in the relieves the Seller from respecting the terms agreed upon; the Vendor may inform the Customer of the new delivery date.

6.5 A forced stop of production activities in Henry Glass factory, as well as manufacturing problems like difficulty in finding raw materials or energy, strikes or lock outs or any other event of force majeure directly or indirectly regarding the Seller's activities, exempt Henry Glass s.r.l. from the obligation of dispatching orders underway within the times indicated, suspending them and relieving them of any liability for direct or indirect damages.

7 DELIVERY AND TRANSFER OF RISKS

7.1 Notwithstanding that provided for with regard to transport expenses and/or means of payments, delivery to the Client and at the same time the passing of risks are intended as completed ex works HenryGlass srl, unless otherwise agreed. For international transport of goods, where indicated, Incoterms® 2010 clauses apply. In case of sale with free at destination or other equivalent clause, the customer shall not be entitled to compensation or indemnification for the transport in case it carries out collection on its own or at his own expenses.

7.2 If, before the deadline for each delivery, additional charges and/or costs due to changes in the cost of raw materials, labour, transport, customs and/or tax duties, and the like, the Seller expressly reserves the right to change prices, even if they may have already been confirmed, and in any case to a maximum extent of 20%.

8 COMPLAINTS

8.1 The merchandise must be examined immediately by the Customer upon delivery, verifying the entirety and its correspondence to the order and the accompanying documents. Complaints for incomplete and/or incorrect delivers, and/or for damaged merchandise, and/or for flaws and/ or deformities, have to be made no more than 8 days from the date of delivery; afterwards, the merchandise shall be considered for all intended purposes accepted. All the complaints must only and always be made in writing by registered letter or email with a confirmation of receipt, and it must be accompanied by the shipping document on which possible reservations made to the shipping agent on the document of the act receiving the merchandise are noted. The disputed merchandise must be made available for possible assessments and checks to be made by the Seller for no less than 20 (twenty) business days.

8.2 For complaints related to the visual quality of the product, the verification is carried out jointly by the Parties according to the "Guidelines for an assessment of visual quality of internal doors" written by Federlegno-Edillegno.

8.3 Fouded complaints in any case do not give to the Customer the right to suspend payments underway.

8.4 In the event that the complaint is recognized as founded by both Parties, Henry Glass s.r.l. undertakes to substitute the flawed or defective products, unless the Vendor decides otherwise due to objective reasons of the impossibility of replacing the goods. The Customer is responsible for any costs incurred for dismantling the defective products and for replacing them.

9 RETURNS

9.1 Possible returns of merchandise have to be preventively authorized in writing form by HenryGlass srl. It's customer care to pack the faulty merchandise that it has been authorized to return. The shipment of the collection is agreed between the Seller and the Client and shall be effected ex works Seller accompanied by the Customer's document stating all the details of the original purchase.

9.2 In the event HenryGlass srl authorizes the return and decides, before having verified the material of the Customer to preventively substitute the merchandise, this shall be invoiced according to the usual payment conditions. In the case of a well-founded complaint, HenryGlass srl does not proceed with any charge; otherwise, a regular invoice is issued with the cost of transport also being charged.

10 WARRANTY

10.1 The Seller guarantees its products from any manufacturing defects for a period of 24 months from the date of delivery to its customer, provided that the defect is reported within 8 days from the date on which the defect occurs, however within 24 months as above-mentioned. The warranty provides for the replacement of the products of which the Customer of Henry Glass s.r.l. provides incontrovertible proof of the manufacturing defect, while expressly excludes any request for compensation or damages for any reason.

10.2 Such warranty does not cover breaks of the glass door, unless it is manufacturing defect. The normal deterioration and wearing effect of products, in particular scratches and cracks, are furthermore excluded from the warranty and any responsibility of HenryGlass srl.

10.3 HenryGlass srl informs and the Customers recognizes that the illustrative samples of its own products have purely indicative characteristics and that the color of the glass or the wood depend on various parameters, such as the lot of the raw materials (even if they come from the same supplier), the width and the dimensions of the glass, and the same characteristics of the environment where the glass is installed (colors of the walls, lighting, etc). Therefore, possible differences of tone/hue of color from the illustrative samples are not considered flaws and/or defects of the products.

10.4 With respect to the models provided, the Seller reserves the right to make all the changes believed to be worthwhile or necessary, without the customer raising any protest or considering the contract terminated or expecting any indemnity.

11 NON COMPETITION AGREEMENT AND CONFIDENTIALITY

11.1 It is absolutely forbidden for the Client to totally and/or partially reproduce items that have been purchased or seen. It is also absolutely forbidden to communicate news and information that allow for the reproduction of the same items.

12 VARIOUS PROVISIONS

12.1 The present contract is regulated by Italian Law. The parties agree that the applicable laws in force apply for that which is not expressly stated.

12.2 The customer has the obligation of providing the Seller all of its personal details, for the purposes of carrying out the contractual civil and fiscal obligations and of keeping the Seller updated on possible changes to such details. HenryGlass srl is exonerated from responsibility pursuant to the Article 21 of the Decree of the Italian Presidential Republic 633/72.

12.3 The Customer declares to have received the completed information pursuant to the current privacy provisions, and it expresses its consent to the processing and communication of its own personal details for administrative and accounting and for the duration stated in the information statement.

12.4 With respect to all disputes deriving from interpretation, execution and/or resolution of this contract, the Parties, prior to taking legal action before a judicial court or an arbitration panel, undertake mediation on a court established under law. 28/2010, having its registered office in Treviso, Italy, which administers such mediation according to its own Regulations in force. Should attempted mediation fail, the courts of Treviso shall be competent. However, HenryGlass reserves the right to say where the Customer has its registered office.

13 GENERAL CLAUSES

13.1 Failure to exercise any right deriving from the above provisions do not entail as forfeiture of such rights. Should any of the above provisions be declared null and/or void, such circumstance shall not imply that other provisions concerning the sales conditions be considered null and/or void, unless such provision constituted the essential and decisive reason for execution of the contract.

HenryGlass®

APERTURE CONTEMPORANEE

PRICE LIST 2022

General terms of sale pag 2

Index pag 3

Surcharges for glass and decorations pag 5

Swing door with polished edges pag 6

Double opening doors with polidge edges pag 8

Disappearing sliding doors with polished edges pag 10

Outside wall sliding doors with polished edges - Classic system pag 12

Outside wall sliding doors with polished edges - Absolute system pag 14

Outside wall sliding doors with polished edges - Vision system pag 15

Outside wall sliding doors with polished edges - Inside system pag 16

Framed swing doors pag 18

Framed swing doors180 pag 20

Framed pivot door pag 22

Framed disappearing sliding doors pag 24

Outside wall framed sliding doors - Classic system pag 26

Outside wall framed sliding doors - Inside system pag 27

Swing door - Plain frame pag 28

Pivot door pag 29

Disappearing sliding doors - *Scrigno® Essential metal box* pag 30

Outside wall sliding doors - Inside system pag 31

Single components on demand - Personalizations pag 32

Interiors wallpaper pag 33

Notes and dimensional limits pag 34

Custom glass wall pag 35

All the measuraments shown on the price list are expressed in millimeters.

Prices on the list are expressed in EURO and do not include VAT.

For the choice of the most suitable glass to use, it is essential to consider the place and the location of installation, the intended use, the sizes of products, the assembly types and the stresses that are expected to act on the glass. Concerning the security, follow the provisions of the current directives, and in particular the norm UNI 7697 to May 2014.

SURCHARGES FOR GLASS AND DECORATIONS

apply to all types of glass doors and panels

surcharges for tempered monolithic glasses 10 mm

decorations	glass finishes			
	clear	clear extralight clear bronze clear grey	frosted	frosted extralight frosted bronze frosted grey
Without decoration	0,00	120,00	120,00	235,00
Sandblasting	167,00	285,00	285,00	401,00

Vetroveneto (to quote)

surcharges for tempered stratified glasses 5+5 mm

decorations	glass finishes						
	normal					reflective	
	clear	clear extralight clear bronze clear grey	frosted	frosted extralight frosted bronze frosted grey	maté	clear clear bronze clear grey*	frosted frosted bronze frosted grey*
Without decoration	235,00	352,00	352,00	469,00	469,00	352,00	469,00
Sandblasting	-	517,00	-	634,00	-	-	-
Impressioni CAT.A	-	910,00	-	1028,00	-	-	-
Impressioni CAT.B	-	773,00	-	891,00	-	-	-
Impressioni CAT.C	-	633,00	-	750,00	-	-	-

*(reflective grey 4+5 mm)

Vetroveneto (to quote)

surcharges for tempered stratified glasses 5+5 mm

decorations	glass finishes			
	covering lacquered			
	standard glossy lacquered or silver - bronze - grey mirrored	glossy RAL on request	standard frosted	frosted RAL on request
Without decoration	461,00	625,00	625,00	788,00
Mirroring	756,00	920,00	-	-


Vetroveneto (to quote)

VITRA SWING DOOR

base price - clear glass door without decoration; transparent knobs are included

door width	door height		
	up to 2150	up to 2450	up to 2850
up to 725	640,00	752,00	864,00
from 726 to 875	714,00	852,00	988,00
from 876 to 1025	772,00	913,00	1054,00

up to 725
from 726 to 875
from 876 to 1025



surcharges for accessories (add to the base price)

magnetic lock without handle 113,00		magnetic lock with turnsnib and emergency release without handle 141,00		magnetic lock with cylinder and key without handle 314,00		double door strike 71,00	
Life handle by HenryGlass 160,00 / pair		rounded knob 37,00 / pair		squared knob 52,00 / pair			
rounded HG600 single pull handle 165,00 / each		rounded HG1250 single pull handle 223,00 / each		rounded HG1600 single pull handle 265,00 / each		rounded HG1250 single pull handle with lock 450,00 / each	
squared HG600 single pull handle 184,00 / each		squared HG1250 single pull handle 244,00 / each		squared HG1600 single pull handle 281,00 / each		HG500V single pull handle in glass 198,00 / each 295,00 / each RAL	

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

PLAIN frame for plasterboard or masonry - single door

	standard measures	off-standard measures		
opening width	600 - 650 - 700 - 750 800 - 850 - 900	up to 860	up to 1000	up to 1000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	435,00	483,00	508,00	534,00

PLAIN frame for plasterboard or masonry - double door

	standard measures	off-standard measures		
opening width	1200-1300-1400-1500 1600 - 1700 - 1800	up to 1720	up to 2000	up to 2000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	514,00	579,00	609,00	641,00

early shipment of the frame, on request € 35 / each
assembled frame shipment, on request € 35 / each

ISY frame - CUBE frame

	up to 900			up to 1400			up to 2150		
	up to 2200	up to 2450	up to 2850	up to 2200	up to 2450	up to 2850	up to 2200	up to 2450	up to 2850
finished opening width									
finished opening height									
aluminum, white	570,00	607,00	659,00	602,00	638,00	689,00	631,00	666,00	721,00
titanium, brass, moka, black	648,00	690,00	758,00	690,00	732,00	800,00	730,00	774,00	840,00

aluminum - white LIGHT frame

	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width									
external frame height									
wall thickness from 85 to 105	662,00	723,00	803,00	711,00	774,00	854,00	782,00	843,00	926,00
wall thickness from 106 to 155	743,00	812,00	903,00	794,00	862,00	955,00	863,00	933,00	1026,00
wall thickness from 156 to 205	790,00	863,00	963,00	852,00	926,00	1024,00	937,00	1011,00	1108,00
wall thickness from 206 to 255	875,00	957,00	1068,00	944,00	1026,00	1136,00	1040,00	1122,00	1232,00

titanium - brass - moka - black LIGHT frame

	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width									
external frame height									
wall thickness from 85 to 105	787,00	864,00	967,00	852,00	929,00	1031,00	941,00	1017,00	1120,00
wall thickness from 106 to 155	887,00	974,00	1092,00	951,00	1040,00	1157,00	1041,00	1128,00	1246,00
wall thickness from 156 to 205	953,00	1048,00	1171,00	1032,00	1126,00	1251,00	1141,00	1235,00	1359,00
wall thickness from 206 to 255	1059,00	1165,00	1304,00	1147,00	1253,00	1394,00	1271,00	1375,00	1515,00

aluminum - white S-LIGHT frame

	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width									
external frame height									
wall thickness from 85 to 105	478,00	521,00	579,00	513,00	557,00	615,00	565,00	607,00	665,00
wall thickness from 106 to 155	565,00	618,00	689,00	602,00	653,00	724,00	650,00	704,00	775,00
wall thickness from 156 to 205	617,00	672,00	749,00	664,00	722,00	797,00	730,00	787,00	864,00
wall thickness from 206 to 255	707,00	775,00	863,00	763,00	831,00	919,00	841,00	907,00	996,00

titanium - brass - moka - black S-LIGHT frame

	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width									
external frame height									
wall thickness from 85 to 105	556,00	608,00	680,00	601,00	652,00	724,00	662,00	714,00	785,00
wall thickness from 106 to 155	663,00	727,00	814,00	706,00	772,00	857,00	768,00	833,00	920,00
wall thickness from 156 to 205	734,00	805,00	900,00	794,00	864,00	960,00	877,00	948,00	1043,00
wall thickness from 206 to 255	850,00	932,00	1044,00	919,00	1003,00	1113,00	1015,00	1099,00	1209,00

LED lighting for LIGHT and S-LIGHT frame to quote

XILO RE frame

	up to 1080			up to 2160		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width						
external frame height						
matte lacquered	587,00	822,00	903,00	764,00	1068,00	1174,00
brushed lacquered matte ash wood	714,00	998,00	1099,00	928,00	1297,00	1428,00

XILO FL frame

	up to 1080			up to 2160		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width						
external frame height						
matte lacquered	653,00	916,00	1007,00	848,00	1188,00	1307,00
brushed lacquered matte ash wood	781,00	1094,00	1203,00	1015,00	1422,00	1563,00

surcharge for more-than-120-mm wall thickness

		up to 160	up to 230	up to 300	up to 360	up to 400
		H up to 2140	width up to 1080	144,00	181,00	224,00
	height up to 2160	202,00	252,00	313,00	391,00	490,00
H up to 2840	width up to 1080	229,00	287,00	358,00	448,00	560,00
	height up to 2160	322,00	402,00	505,00	630,00	788,00


surcharge for RAL lacquering

ISY frame - CUBE frame	XILO frame	LIGHT frame	S-LIGHT frame
396,00 / frame	172,00 / frame	396,00 / frame	396,00 / frame

VITRA DOUBLE OPENING DOORS

base price - clear glass door without decoration; hinges and transparent knobs are included

door width	door height		
	up to 2150	up to 2450	up to 2850
up to 725	1080,00	1187,00	1342,00
from 726 to 875	1167,00	1289,00	1487,00
from 876 to 1000	1235,00	1373,00	1565,00



surcharges for accessories (add to the base price)

rounded knob 37,00 / pair 	squared knob 52,00 / pair 		
rounded HG600 pull handle 165,00 / each 	rounded HG1250 pull handle 223,00 / each 	rounded HG1600 pull handle 265,00 / each 	rounded HG1250 pull handle with lock 450,00 / each 
squared HG600 pull handle 184,00 / each 	squared HG1250 pull handle 244,00 / each 	squared HG1600 pull handle 281,00 / each 	glass HG500V pull handle 198,00 / each 295,00 / each RAL 

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

XILO frame

	up to 1080			up to 2160		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
external frame width						
external frame height						
matte lacquered	587,00	822,00	903,00	764,00	1068,00	1174,00
brushed lacquered matte ash wood	714,00	998,00	1099,00	928,00	1297,00	1428,00

surcharge for more-than-120-mm wall thickness

		up to 160	up to 230	up to 300	up to 360	up to 400
H up to 2140	width up to 1080	144,00	181,00	224,00	281,00	352,00
	width up to 2160	202,00	252,00	313,00	391,00	490,00
H up to 2840	width up to 1080	229,00	287,00	358,00	448,00	560,00
	width up to 2160	322,00	402,00	505,00	630,00	788,00


surcharges for Xilo frame lacquering

RAL
172,00 / frame

VITRA DISAPPEARING SLIDING DOORS

base price - clear glass door without decoration; transparent knobs are included

door width	door height		
	up to 2150	up to 2450	up to 2850
up to 750	679,00	738,00	798,00
from 751 to 950	714,00	777,00	844,00
from 951 to 1250	767,00	842,00	922,00



surcharges for accessories (add to the base price)

A1* patch 141,00		double door strike 71,00		rounded knob 37,00 / pair		squared knob 52,00 / pair	
rounded handle 37,00		flush handle 69,00		double Stilo pull handle 108,00			
rounded HG600 pull handle 165,00 / each		rounded HG1250 pull handle 223,00 / each		rounded HG1600 pull handle 265,00 / each		rounded HG1250 pull handle with lock 450,00 / each	
squared HG600 pull handle 184,00 / each		squared HG1250 pull handle 244,00 / each		squared HG1600 pull handle 281,00 / each		glass HG500V pull handle 198,00 / each 295,00 / eachRAL	
dragging doors gear kit (Xilo only) 62,00 / cad leaf		push&pull kit 50,00 / pair		slow motion kit** 101,00 / pair		kit for Scigno® Essential o Eclisse® Syntesis metal box-single door 179,00 / metal box	
kit for Scigno® Essential o Eclisse® Syntesis metal box-double door 179,00 / metal box		plug profile lacquering (casing side) RAL 121,00 / leaf					

* available with turnsnib and emergency release

** available single slow motion KA061 when closing (only for standard metal boxes) with exception of the following cases:

- no slow motion kit for dragging doors
 - no slow motion kit for doors with a weight over 65 kg
 - no slow motion kit for doors with a width less than 750 mm
 - no slow motion kit for doors with a height 3 times greater than the width
- or available single slow motion kit AA274 when closing (only for Scigno® Essential) with exception of the following cases:
- no slow motion kit for doors with a weight over 65 kg
 - no slow motion kit for doors with a width less than 550 mm
 - no slow motion kit for doors with a height 3 times greater than the width

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

aluminum - white LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	669,00	732,00	815,00	720,00	780,00	863,00	786,00	848,00	931,00
wall thickness from 116 to 135	738,00	808,00	899,00	798,00	867,00	959,00	881,00	950,00	1042,00
wall thickness from 136 to 170	857,00	939,00	1048,00	928,00	1010,00	1118,00	1026,00	1107,00	1216,00
wall thickness from 171 to 205	978,00	1074,00	1201,00	1061,00	1157,00	1281,00	1173,00	1268,00	1396,00

titanium - brass - moka - black LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	802,00	879,00	983,00	863,00	940,00	1044,00	949,00	1026,00	1130,00
wall thickness from 116 to 135	892,00	977,00	1092,00	968,00	1054,00	1168,00	1075,00	1161,00	1276,00
wall thickness from 136 to 170	1047,00	1150,00	1289,00	1138,00	1241,00	1378,00	1263,00	1368,00	1506,00
wall thickness from 171 to 205	1205,00	1325,00	1488,00	1311,00	1431,00	1592,00	1456,00	1578,00	1739,00

aluminum - white S-LIGHT frame (to install on Scigno® Essential or Eclisse® Syntesis metal box)

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	468,00	512,00	572,00	502,00	546,00	605,00	548,00	593,00	650,00
wall thickness from 116 to 135	543,00	594,00	662,00	587,00	640,00	706,00	650,00	702,00	772,00
wall thickness from 136 to 170	669,00	735,00	822,00	727,00	792,00	880,00	807,00	872,00	960,00
wall thickness from 171 to 205	802,00	881,00	987,00	869,00	949,00	1055,00	966,00	1046,00	1151,00

titanium - brass - moka - black S-LIGHT frame (to install on Scigno® Essential or Eclisse® Syntesis metal box)

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	551,00	605,00	678,00	593,00	646,00	720,00	650,00	704,00	777,00
wall thickness from 116 to 135	647,00	711,00	796,00	705,00	768,00	853,00	785,00	850,00	933,00
wall thickness from 136 to 170	815,00	897,00	1007,00	887,00	970,00	1080,00	989,00	1073,00	1181,00
wall thickness from 171 to 205	986,00	1086,00	1221,00	1074,00	1174,00	1311,00	1199,00	1298,00	1433,00

LED lighting for LIGHT and S-LIGHT frame to quote

XILO frame

external frame width	up to 1080			up to 2160		
external frame height	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
matte lacquered	653,00	916,00	1007,00	848,00	1188,00	1307,00
brushed lacquered matte ash wood	781,00	1094,00	1203,00	1015,00	1422,00	1563,00

surcharge for more-than-120-mm wall thickness

	up to 160	up to 230	up to 300	up to 360	up to 400	
H up to 2140	width up to 1080	144,00	181,00	224,00	281,00	352,00
	width up to 2160	202,00	252,00	313,00	391,00	490,00
H up to 2840	width up to 1080	229,00	287,00	358,00	448,00	560,00
	width up to 2160	322,00	402,00	505,00	630,00	788,00

ISY frame single and double combined with a specific box. Available while stocks last; request a quote from the company.


surcharges for RAL lacquering

XILO frame	LIGHT frame	S-LIGHT frame
172,00 / frame	396,00 / frame	396,00 / frame

VITRA OUTSIDE WALL CLASSIC SYSTEM SLIDING DOORS

base price - clear glass door without decoration; Classic sliding system kit, transparent knobs and slow motion are included**

door width	door height			
	up to 2300	up to 2500	up to 2800	up to 3000
up to 760	932,00	995,00	1046,00	1121,00
from 761 to 960	1028,00	1093,00	1151,00	1236,00
from 961 to 1260	1171,00	1252,00	1322,00	1419,00



surcharges for accessories (add to the base price)

A1 patch*** 141,00		double door strike 71,00		rounded knob 37,00 / pair		squared knob 52,00 / pair	
rounded handle 37,00		flush handle 69,00		double Stilo pull handle 108,00			
rounded HG600 pull handle 165,00 / each		rounded HG1250 pull handle 223,00 / each		rounded HG1600 pull handle 265,00 / each		rounded HG1250 pull handle with lock 450,00 / each	
squared HG600 pull handle 184,00 / each		squared HG1250 pull handle 244,00 / each		squared HG1600 pull handle 281,00 / each		glass HG500V pull handle 198,00 / each 295,00 / each RAL	
scrolling and valance length off-standard 100,00 / ml (minimal billable amount 0,5 lm)		valance lacquering RAL 58,00 / leaf		dragging doors kit 62,00 / each leaf (with exception of fixed doors)			

* standard sliding kit included in the price

** door supplied with double KA122 slow motion for both opening/closing with exception of the following case:

- no slow motion for dragging doors
- no slow motion for doors with a weight over 130 kg
- no slow motion for doors with a width less than 520 mm
- no slow motion kit for doors with a height 3 times greater than the width
- single slow motion (opening or closing) for doors with a width between 520 and 709 mm
- single slow motion (opening or closing) for doors with a width between 710 and 879 mm and a weight over 65 kg

*** available with turnsnib and emergency release

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

aluminum - white LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 85 to 105	662,00	723,00	803,00	711,00	774,00	854,00	782,00	843,00	926,00
wall thickness from 106 to 155	743,00	812,00	903,00	794,00	862,00	955,00	863,00	933,00	1026,00
wall thickness from 156 to 205	790,00	863,00	963,00	852,00	926,00	1024,00	937,00	1011,00	1108,00
wall thickness from 206 to 255	875,00	957,00	1068,00	944,00	1026,00	1136,00	1040,00	1122,00	1232,00

titanium - brass - moka - black LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 85 to 105	787,00	864,00	967,00	852,00	929,00	1031,00	941,00	1017,00	1120,00
wall thickness from 106 to 155	887,00	974,00	1092,00	951,00	1040,00	1157,00	1041,00	1128,00	1246,00
wall thickness from 156 to 205	953,00	1048,00	1171,00	1032,00	1126,00	1251,00	1141,00	1235,00	1359,00
wall thickness from 206 to 255	1059,00	1165,00	1304,00	1147,00	1253,00	1394,00	1271,00	1375,00	1515,00

LED lighting for LIGHT and S-LIGHT frame to quote

XILO frame

external frame width external frame height	up to 1080			up to 2160		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
matte lacquered	587,00	822,00	903,00	764,00	1068,00	1174,00
brushed lacquered matte ash wood	714,00	998,00	1099,00	928,00	1297,00	1428,00

surcharge for more-than-120-mm wall thickness

H up to 2140	width up to 1080 width up to 2160	up to 160	up to 230	up to 300	up to 360	up to 400
		144,00	181,00	224,00	281,00	352,00
H up to 2840	width up to 1080 width up to 2160	202,00	252,00	313,00	391,00	490,00
		229,00	287,00	358,00	448,00	560,00
		322,00	402,00	505,00	630,00	788,00


surcharges for RAL lacquering

XILO frame	LIGHT frame
172,00 / frame	396,00 / frame

VITRA OUTSIDE WALL ABSOLUTE SYSTEM SLIDING DOORS

base price - clear glass door without decoration; Absolute sliding system kit* and transparent knobs are included

door width	door height			
	up to 2300	up to 2500	up to 2800	up to 3000
up to 760	1495,00	1559,00	1609,00	1737,00
from 761 to 960	1593,00	1661,00	1721,00	1856,00
from 961 to 1260	1741,00	1823,00	1896,00	2048,00



surcharges for accessories (add to the base price)

A1 patch** 141,00	double door strike 71,00	rounded knob 37,00 / pair	squared knob 52,00 / pair
rounded handle 37,00	flush handle 69,00	double Stilo HG400 pull handle 108,00	
single rounded HG600 pull handle 165,00 / each	single rounded HG1250 pull handle 223,00 / each	single rounded HG1600 pull handle 265,00 / each	single rounded HG1250 pull handle with lock 450,00 / each
single rounded HG600 pull handle 184,00 / each	single squared HG1250 pull handle 244,00 / each	single squared HG1600 pull handle 281,00 / each	glass HG500V pull handle 198,00 / each 295,00 / each RAL
length sliding off-standard 94,00 per ml (minimal billable amount 0,5 ml)	additional spacer kit 179,00 / leaf		


* standard sliding kit (calculation from technical manual) is included in the price
** available with turnsnib and emergency release

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

VITRA OUTSIDE WALL VISION SYSTEM SLIDING DOORS

base price - clear glass door without decoration; Vision sliding system kit* and transparent knobs are included

door width	door height			
	up to 2300	up to 2500	up to 2800	up to 3000
up to 760	1608,00	1671,00	1724,00	1859,00
from 761 to 960	1706,00	1773,00	1833,00	1977,00
from 961 to 1260	1854,00	1935,00	2009,00	2170,00



surcharges for accessories (add to the base price)

A1 patch** 141,00	double door strike 71,00	rounded knob 37,00 / pair	squared knob 52,00 / pair
rounded handle 37,00	flush handle 69,00	double Stilo HG400 pull handle 108,00	
single rounded HG600 pull handle 165,00 / each	single rounded HG1250 pull handle 223,00 / each	single rounded HG1600 pull handle 265,00 / each	single rounded HG1250 pull handle with lock 450,00 / each
single rounded HG600 pull handle 184,00 / each	single squared HG1250 pull handle 244,00 / each	single squared HG1600 pull handle 281,00 / each	glass HG500V pull handle 198,00 / each 295,00 / each RAL
length sliding off-standard 120,00 per ml (minimal billable amount 0,5 ml)	additional spacer kit 179,00 / leaf		


* standard sliding kit (calculation from the technical manual) is included in the price
** available with turnsnib and emergency release

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

VITRA INSIDE SYSTEM OUTSIDE WALL SLIDING DOORS


base price - clear glass door without decoration; transparent knobs and slow motion* are included

door width	door height			
	up to 2300	up to 2500	up to 2800	up to 3000
up to 760	743,00	804,00	857,00	921,00
from 761 to 960	912,00	983,00	1040,00	1112,00
from 961 to 1260	1062,00	1142,00	1215,00	1299,00



Inside sliding system kit (add to the base price)		
		
Single track € 203,00 / ml	Double track € 259,00 / ml	Triple track € 308,00 / ml
Early shipment of the track, on request € 35 / each		

surcharges for accessories (add to the base price)

A1 patch** 141,00 	double door strike 71,00 	rounded knob 37,00 / pair 	squared knob 52,00 / pair 
rounded handle 37,00 	flush handle 69,00 	double Stilo HG400 pull handle 108,00 	single rounded HG600 pull handle 165,00 / each 
single rounded HG1250 pull handle 223,00 / each 	single rounded HG1600 pull handle 265,00 / each 	single rounded HG1250 pull handle with lock 450,00 / each 	single squared HG600 pull handle 184,00 / each 
single squared HG1250 pull handle 244,00 / each 	single squared HG1600 pull handle 281,00 / each 	glass HG500V pull handle 198,00 / each 295,00 / each RAL 	kit for sliding doors (with exclusion of fixed panels) 49,00 / each leaf 

* door supplied with double KA115 slow motion kit when opening / closing with exception of the following cases:

- no slow motion for dragging doors
- no slow motion for doors with a weight over 90 kg
- no slow motion for doors with a width less than 600 mm
- no slow motion kit for doors with a height 3 times greater than the width
- single slow motion (opening or closing) for doors with a width between 600 and 819 mm


** available with turnsnib and emergency release

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

MANHATTAN SWING DOORS

base price - framed door with clear glass without decoration; magnetic lock included*

door width	door height		
	up to 2150	up to 2450	up to 2850
up to 725	852,00	908,00	992,00
from 726 to 875	903,00	972,00	1075,00
from 876 to 1025	1028,00	1112,00	1235,00



surcharges for accessories (add to the base price)

magnetic lock with turnsnib and emergency release handles excluded 29,00		magnetic lock with cylinder and key handles excluded 203,00		Life handle by HenryGlass 160,00 / pair		surcharge for GRID** collection 273,00 / leaf	
perimeter frame profiles magnetic lock and Life handle lacquering RAL 149,00 / leaf							

*double door strike included in the price in case of double doors

** for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

PLAIN frame for plasterboard or masonry - single door

	standard measures	off-standard measures		
opening width	600 - 650 - 700 - 750 800 - 850 - 900	up to 860	up to 1000	up to 1000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	358,00	400,00	423,00	445,00

early shipment of the frame, on request € 35 / each
assembled frame shipment, on request € 35 / each

PLAIN frame for plasterboard or masonry - double doors

	standard measures	off-standard measures		
opening width	1200-1300-1400-1500 1600 - 1700 - 1800	up to 1720	up to 2000	up to 2000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	429,00	483,00	507,00	532,00

ISY frame - CUBE frame

finished opening width	up to 900	up to 1400	up to 2150						
finished opening height	up to 2200 up to 2450 up to 2850	up to 2200 up to 2450 up to 2850	up to 2200 up to 2450 up to 2850						
aluminum, white	570,00	607,00	659,00	602,00	638,00	689,00	631,00	666,00	721,00
titanium, brass, moka, black	648,00	690,00	758,00	690,00	732,00	800,00	730,00	774,00	840,00

aluminum - white LIGHT frame

external frame width	up to 900	up to 1400	up to 2100						
external frame height	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850						
wall thickness from 85 to 105	662,00	723,00	803,00	711,00	774,00	854,00	782,00	843,00	926,00
wall thickness from 106 to 155	743,00	812,00	903,00	794,00	862,00	955,00	863,00	933,00	1026,00
wall thickness from 156 to 205	790,00	863,00	963,00	852,00	926,00	1024,00	937,00	1011,00	1108,00
wall thickness from 206 to 255	875,00	957,00	1068,00	944,00	1026,00	1136,00	1040,00	1122,00	1232,00

titanium - brass - moka - black LIGHT frame

external frame width	up to 900	up to 1400	up to 2100						
external frame height	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850						
wall thickness from 85 to 105	787,00	864,00	967,00	852,00	929,00	1031,00	941,00	1017,00	1120,00
wall thickness from 106 to 155	887,00	974,00	1092,00	951,00	1040,00	1157,00	1041,00	1128,00	1246,00
wall thickness from 156 to 205	953,00	1048,00	1171,00	1032,00	1126,00	1251,00	1141,00	1235,00	1359,00
wall thickness from 206 to 255	1059,00	1165,00	1304,00	1147,00	1253,00	1394,00	1271,00	1375,00	1515,00

aluminum - white S-LIGHT frame

external frame width	up to 900	up to 1400	up to 2100						
external frame height	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850						
wall thickness from 85 to 105	478,00	521,00	579,00	513,00	557,00	615,00	565,00	607,00	665,00
wall thickness from 106 to 155	565,00	618,00	689,00	602,00	653,00	724,00	650,00	704,00	775,00
wall thickness from 156 to 205	617,00	672,00	749,00	664,00	722,00	797,00	730,00	787,00	864,00
wall thickness from 206 to 255	707,00	775,00	863,00	763,00	831,00	919,00	841,00	907,00	996,00

titanium - brass - moka - black S-LIGHT frame

external frame width	up to 900	up to 1400	up to 2100						
external frame height	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850	up to 2150 up to 2450 up to 2850						
wall thickness from 85 to 105	556,00	608,00	680,00	601,00	652,00	724,00	662,00	714,00	785,00
wall thickness from 106 to 155	663,00	727,00	814,00	706,00	772,00	857,00	768,00	833,00	920,00
wall thickness from 156 to 205	734,00	805,00	900,00	794,00	864,00	960,00	877,00	948,00	1043,00
wall thickness from 206 to 255	850,00	932,00	1044,00	919,00	1003,00	1113,00	1015,00	1099,00	1209,00

LED lighting for LIGHT and S-LIGHT frame to quote


surcharges for RAL lacquering

ISY frame - CUBE frame	LIGHT frame	S-LIGHT frame
396,00 / frame	396,00 / frame	396,00 / frame




MANHATTAN 180 SWING DOORS

base price - framed door with clear glass without decoration; magnetic lock included*

door width	door height		
	up to 2150	up to 2450	up to 2850
up to 725	906,00	963,00	1047,00
from 726 to 875	957,00	1027,00	1129,00
from 876 to 1025	1082,00	1166,00	1290,00



surcharges for accessories (add to the base price)

magnetic lock with turnsnib and emergency release handles excluded 29,00 	magnetic lock with cylinder and key handles excluded 203,00 	Life handle by HenryGlass 160,00 / pair 	surcharge for GRID** collection 273,00 / leaf 
perimeter frame profiles magnetic lock and Life handle lacquering RAL 149,00 / leaf 			

*double door strike included in the price in case of double doors

** for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

PLAIN frame for plasterboard or masonry - single door

	standard measures	off-standard measures		
opening width	600 - 650 - 700 - 750 800 - 850 - 900	up to 860	up to 1000	up to 1000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	358,00	400,00	423,00	445,00

early shipment of the frame, on request € 35 / each
assembled frame shipment, on request € 35 / each

PLAIN frame for plasterboard or masonry - double doors

	standard measures	off-standard measures		
opening width	1200-1300-1400-1500 1600 - 1700 - 1800	up to 1720	up to 2000	up to 2000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	429,00	483,00	507,00	532,00

ISY frame - CUBE frame

finished opening width	up to 900	up to 1400	up to 2150						
finished opening height	up to 2200 up to 2450 up to 2850	up to 2200 up to 2450 up to 2850	up to 2200 up to 2450 up to 2850						
aluminum, white	570,00	607,00	659,00	602,00	638,00	689,00	631,00	666,00	721,00
titanium, brass, moka, black	648,00	690,00	758,00	690,00	732,00	800,00	730,00	774,00	840,00

aluminum - white LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	662,00	723,00	803,00	711,00	774,00	854,00	782,00	843,00	926,00
wall thickness from 106 to 155	743,00	812,00	903,00	794,00	862,00	955,00	863,00	933,00	1026,00
wall thickness from 156 to 205	790,00	863,00	963,00	852,00	926,00	1024,00	937,00	1011,00	1108,00
wall thickness from 206 to 255	875,00	957,00	1068,00	944,00	1026,00	1136,00	1040,00	1122,00	1232,00

titanium - brass - moka - black LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	787,00	864,00	967,00	852,00	929,00	1031,00	941,00	1017,00	1120,00
wall thickness from 106 to 155	887,00	974,00	1092,00	951,00	1040,00	1157,00	1041,00	1128,00	1246,00
wall thickness from 156 to 205	953,00	1048,00	1171,00	1032,00	1126,00	1251,00	1141,00	1235,00	1359,00
wall thickness from 206 to 255	1059,00	1165,00	1304,00	1147,00	1253,00	1394,00	1271,00	1375,00	1515,00

aluminum - white S-LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	478,00	521,00	579,00	513,00	557,00	615,00	565,00	607,00	665,00
wall thickness from 106 to 155	565,00	618,00	689,00	602,00	653,00	724,00	650,00	704,00	775,00
wall thickness from 156 to 205	617,00	672,00	749,00	664,00	722,00	797,00	730,00	787,00	864,00
wall thickness from 206 to 255	707,00	775,00	863,00	763,00	831,00	919,00	841,00	907,00	996,00

titanium - brass - moka - black S-LIGHT frame

external frame width	up to 900			up to 1400			up to 2100		
external frame height	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	556,00	608,00	680,00	601,00	652,00	724,00	662,00	714,00	785,00
wall thickness from 106 to 155	663,00	727,00	814,00	706,00	772,00	857,00	768,00	833,00	920,00
wall thickness from 156 to 205	734,00	805,00	900,00	794,00	864,00	960,00	877,00	948,00	1043,00
wall thickness from 206 to 255	850,00	932,00	1044,00	919,00	1003,00	1113,00	1015,00	1099,00	1209,00

LED lighting for LIGHT and S-LIGHT frame to quote

surcharges for RAL lacquering


ISY frame - CUBE frame	LIGHT frame	S-LIGHT frame
396,00 / frame	396,00 / frame	396,00 / frame

MANHATTAN PIVOT DOORS

base price - framed door with clear glass without decoration; Slim handle included

door width	door height			
	up to 2150	up to 2400	up to 2700	up to 3000
from 751 to 1000	1664,00	1733,00	1811,00	1910,00
from 1001 to 1260	1789,00	1872,00	1964,00	2079,00

for dimensions greater than 1260x3000 mm, request a quote from the company



surcharges for accessories (add to the base price)

Square handle
164,00



surcharge for
GRID* collection
273,00 / leaf



perimeter frame profiles magnetic lock
and Life handle lacquering
RAL 149,00 / leaf



* for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

CUBE frame

	up to 900			up to 1400		
	up to 2200	up to 2450	up to 2850	up to 2200	up to 2450	up to 2850
finished opening width						
finished opening height						
aluminum, white	570,00	607,00	659,00	602,00	638,00	689,00
titanium, brass, moka, black	648,00	690,00	758,00	690,00	732,00	800,00


surcharge for CUBE frame lacquering

RAL
396,00 / frame

MANHATTAN DISAPPEARING SLIDING DOORS

base price - framed door with clear glass without decoration; Avenue handle included

door width	door height			
	up to 2150	up to 2450	up to 2750	up to 3000
up to 500	729,00	774,00	820,00	892,00
from 501 to 750	852,00	908,00	971,00	1058,00
from 751 to 1000	903,00	972,00	1050,00	1150,00
from 1001 to 1260	1028,00	1112,00	1204,00	1319,00



sliding disappearing framed door

surcharges for accessories (to add to the base price)

Square handle 73,00		Square handle with privacy closing system 168,00		double door strike 71,00		surcharge for GRID** collection 273,00 / leaf	
perimeter frame profiles and Square or Avenue handle RAL 149,00 / leaf		slow motion kit* Scrigno® Essential 101,00 / each					

* available single AA274 slow motion when closing (only for Scrigno Essential metal boxes) with exception of the following cases:

- no slow motion for doors with a weight over 75 kg
- no slow motion for doors with a width less than 500 mm
- no slow motion kit for doors with a height 3 times greater than the width

** compulsory surcharge of Square handle; for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

aluminum - white LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	669,00	732,00	815,00	720,00	780,00	863,00	786,00	848,00	931,00
wall thickness from 116 to 135	738,00	808,00	899,00	798,00	867,00	959,00	881,00	950,00	1042,00
wall thickness from 136 to 170	857,00	939,00	1048,00	928,00	1010,00	1118,00	1026,00	1107,00	1216,00
wall thickness from 171 to 205	978,00	1074,00	1201,00	1061,00	1157,00	1281,00	1173,00	1268,00	1396,00

titanium - brass - moka - black LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	802,00	879,00	983,00	863,00	940,00	1044,00	949,00	1026,00	1130,00
wall thickness from 116 to 135	892,00	977,00	1092,00	968,00	1054,00	1168,00	1075,00	1161,00	1276,00
wall thickness from 136 to 170	1047,00	1150,00	1289,00	1138,00	1241,00	1378,00	1263,00	1368,00	1506,00
wall thickness from 171 to 205	1205,00	1325,00	1488,00	1311,00	1431,00	1592,00	1456,00	1578,00	1739,00

aluminum - white S-LIGHT frame (to install on Scrigno® Essential or Eclipse® Syntesis metal box)

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	468,00	512,00	572,00	502,00	546,00	605,00	548,00	593,00	650,00
wall thickness from 116 to 135	543,00	594,00	662,00	587,00	640,00	706,00	650,00	702,00	772,00
wall thickness from 136 to 170	669,00	735,00	822,00	727,00	792,00	880,00	807,00	872,00	960,00
wall thickness from 171 to 205	802,00	881,00	987,00	869,00	949,00	1055,00	966,00	1046,00	1151,00

titanium - brass - moka - black S-LIGHT frame (to install on Scrigno® Essential or Eclipse® Syntesis metal box)

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840	up to 2140	up to 2440	up to 2840
wall thickness from 100 to 115	551,00	605,00	678,00	593,00	646,00	720,00	650,00	704,00	777,00
wall thickness from 116 to 135	647,00	711,00	796,00	705,00	768,00	853,00	785,00	850,00	933,00
wall thickness from 136 to 170	815,00	897,00	1007,00	887,00	970,00	1080,00	989,00	1073,00	1181,00
wall thickness from 171 to 205	986,00	1086,00	1221,00	1074,00	1174,00	1311,00	1199,00	1298,00	1433,00

LED lighting for LIGHT and S-LIGHT frame to quote


surcharges for RAL lacquering

LIGHT frame	S-LIGHT frame
396,00 / frame	396,00 / frame

MANHATTAN OUTSIDE WALL CLASSIC SYSTEM SLIDING DOORS

base price - framed door with clear glass without decorations; Avenue handles, Classic sliding kit* and slow motion** included

door width	door height			
	up to 2150	up to 2400	up to 2700	up to 3000
up to 500	892,00	937,00	989,00	1061,00
from 501 to 750	1141,00	1202,00	1268,00	1357,00
from 751 to 1000	1246,00	1318,00	1399,00	1503,00
from 1001 to 1260	1424,00	1512,00	1607,00	1728,00



surcharges for accessories (to add to the base price)

Square handle 73,00	Square handle with closing system privacy 168,00	double door strike 71,00	sliding and valance length off-standard 100,00 / ml (minimal billable amount 0,5 ml)
surcharge for GRID*** collection 273,00 / leaf	dragging doors kit 62,00 / each leaf (with exclusion of fixed doors)	perimeter frame profiles lacquering and Square or Avenue handle RAL 149,00 / leaf	valance lacquering RAL 58,00 / leaf

* standard sliding kit included in the price

** door supplied with double KA122 slow motion when opening/closing with exception of the following cases:

- no slow motion for dragging doors

- no slow motion for doors with a weight over 130 kg

- no slow motion for doors with a width less than 520 mm

- no slow motion kit for doors with a height 3 times greater than the width

- single slow motion when closing for a width doors between 520 and 709 mm

- single slow motion when closing for doors with a width between 710 and 879 mm and a weight over 65kg

***compulsory surcharge of Square handle; for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

aluminum - white LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	662,00	723,00	803,00	711,00	774,00	854,00	782,00	843,00	926,00
wall thickness from 106 to 155	743,00	812,00	903,00	794,00	862,00	955,00	863,00	933,00	1026,00
wall thickness from 156 to 205	790,00	863,00	963,00	852,00	926,00	1024,00	937,00	1011,00	1108,00
wall thickness from 206 to 255	875,00	957,00	1068,00	944,00	1026,00	1136,00	1040,00	1122,00	1232,00

titanium - brass - moka - black LIGHT frame

external frame width external frame height	up to 900			up to 1400			up to 2100		
	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850	up to 2150	up to 2450	up to 2850
wall thickness from 85 to 105	787,00	864,00	967,00	852,00	929,00	1031,00	941,00	1017,00	1120,00
wall thickness from 106 to 155	887,00	974,00	1092,00	951,00	1040,00	1157,00	1041,00	1128,00	1246,00
wall thickness from 156 to 205	953,00	1048,00	1171,00	1032,00	1126,00	1251,00	1141,00	1235,00	1359,00
wall thickness from 206 to 255	1059,00	1165,00	1304,00	1147,00	1253,00	1394,00	1271,00	1375,00	1515,00

LED lighting for LIGHT and S-LIGHT frame to quote


surcharge for LIGHT frame lacquering

RAL
396,00 / frame


MANHATTAN OUTSIDE WALL INSIDE SYSTEM SLIDING DOORS

base price - framed door with clear glass without decorations; Avenue handles and slow motion* included

door width	door height			
	up to 2150	up to 2400	up to 2700	up to 3000
up to 500	795,00	840,00	891,00	964,00
from 501 to 750	996,00	1059,00	1121,00	1209,00
from 751 to 1000	1050,00	1122,00	1203,00	1310,00
from 1001 to 1260	1179,00	1266,00	1363,00	1485,00



Inside sliding kit (to add to the base price)

 Single track € 203,00 / ml	 Double track € 259,00 / ml	 Triple track € 308,00 / ml
Early shipment of the track, on request € 35 / each		

surcharges for accessories (to add to the base price)

Square handle 73,00	Square handle with closing system privacy 168,00	double door strike 71,00	surcharge for GRID** collection 273,00 / leaf
dragging doors kit 62,00 / each leaf (with exclusion of fixed doors)	perimeter frame profiles lacquering and Square or Avenue handle RAL 149,00 / leaf		

* door supplied with double KA122 slow motion when opening/closing with exception of the following cases:

- no slow motion for dragging doors

- no slow motion for doors with a weight over 130 kg

- no slow motion for doors with a width less than 520 mm

- no slow motion kit for doors with a height 3 times greater than the width

- single slow motion (opening or closing) for a door width between 520 and 709 mm

- single slow motion (opening or closing) for a door width between 710 and 879 mm and a weight over 65 kg


***compulsory surcharge of Square handle; for problems of interference with the handle, the GRID 06 e GRID 07 models will be available with a leaf width greater than 670 mm

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

ADELA SWING DOORS WITH PLAIN FRAME

base price - door only, magnetic lock with key and nickel or white adjustable hinges included

	standard measures	off standard measures		
opening width	600 - 650 - 700 - 750 - 800 - 850 - 900	up to 860	up to 1000	up to 1000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
raw	408,00	456,00	535,00	657,00
raw with polyurethane primer	518,00	583,00	680,00	836,00
matte lacquered	750,00	837,00	961,00	1177,00
lacquered matte brushed ash	1138,00	1279,00	1589,00	1870,00
canaletto walnut - grey oak	1158,00	1311,00	1521,00	1885,00
eucalyptus	1236,00	1400,00	1616,00	2015,00




surcharge for double door : 2 x single door price (double bolt included in the price)

surcharges for accessories (add to the base price)

privacy predisposition handles excluded 18,00 / leaf		couple of Life handles by HenryGlass 185,00 / pair		couple of Life handles by HenryGlass with nickeled key 215,00 / pair		couple of Life handles by HenryGlass with privacy turnsnib 238,00 / pair	
glass insert without decoration 191,00 / leaf RAL colour 250,00 / leaf with decoration(to quote)		double glass HG500V pull handle 394,00 586,00 / RAL		recess knob 70,00		RAL lacquering 168,00 / door	
recessed handle (both sides) 181,00							

PLAIN frame for plasterboard or masonry - single door

	standard measures	off standard measures		
opening width	600 - 650 - 700 - 750 - 800 - 850 - 900	up to 860	up to 1000	up to 1000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	358,00	400,00	423,00	445,00



doors with frame without crosspiece
53,00 / door

PLAIN frame for plasterboard or masonry - double door


	standard measures	off standard measures		
opening width	1200 - 1300 - 1400 - 1500 - 1600 - 1700 - 1800	up to 1720	up to 2000	up to 2000
opening height	2000 - 2100	up to 2100	up to 2400	up to 2800
	429,00	483,00	507,00	532,00

early shipment of the frame, on request € 35 / each
assembled frame shipment, on request € 35 / each

ADELA PIVOT DOOR

base price - recessed handle included

	measures			
opening width	up to 860	up to 1000	up to 1000	up to 1300
opening height	up to 2100	up to 2400	up to 2800	up to 3000
raw	1380,00	1459,00	1579,00	1729,00
raw with polyurethane primer	1506,00	1603,00	1758,00	1935,00
matte lacquered	1759,00	1884,00	2099,00	2272,00
lacquered matte brushed ash	2202,00	2511,00	2793,00	2903,00
canaletto walnut - grey oak	2233,00	2444,00	2808,00	3174,00
eucalyptus	2323,00	2538,00	2938,00	3250,00



for dimensions greater than 1300x3000 mm, request a quote from the company


surcharges for accessories (to add to the base price)

double glass HG500V pull handle 394,00 586,00 / RAL		RAL lacquering 168,00 / door	
---	--	---------------------------------	--

ADELA DISAPPEARING SLIDING DOORS IN ESSENTIAL METAL BOX

base price - door only, matte chrome round handle included

	standard measures	off standard measures			
opening width	600 - 650 - 700	up to 860	up to 1000	up to 1000	up to 1300
opening height	750 - 800 - 850 900 - 2000 - 2100	up to 2100	up to 2400	up to 2800	up to 3000
raw	408,00	456,00	535,00	657,00	870,00
raw with polyurethane primer	518,00	583,00	680,00	836,00	1060,00
matte lacquered	750,00	837,00	961,00	1177,00	1408,00
lacquered matte brushed ash	1138,00	1279,00	1589,00	1870,00	2131,00
canaletto walnut - grey oak	1158,00	1311,00	1521,00	1885,00	2267,00
eucalyptus	1236,00	1400,00	1616,00	2015,00	2321,00



handle positioning

*Actual opening width is reduced by 10 mm (for example: opening width 800 = actual opening width 790)

surcharges for accessories (add to the base price)


round handle with privacy and lock 61,00		squared handle 21,00		squared handle with privacy and lock 76,00		double glass HG500V pull handle 394,00 586,00 / RAL	
glass insert without decoration 191,00 / leaf RAL 250,00 / leaf with decoration(to quote)		flush handle 69,00		RAL lacquering 168,00 / door		recessed handle (both sides) 181,00	

Scigno® Essential metal box is not provided by HenryGlass

ADELA EXTERNAL WALL INSIDE SYSTEM SLIDING DOORS

base price - door only, frosted matte chrome round handle and slow motion* included

	measures			
opening width	up to 860	up to 1000	up to 1000	up to 1300
opening height	up to 2100	up to 2400	up to 2800	up to 3000
raw	583,00	639,00	758,00	973,00
raw with polyurethane primer	709,00	782,00	937,00	1164,00
matte lacquered	892,00	990,00	1206,00	1512,00
lacquered matte brushed ash	1422,00	1705,00	1988,00	2234,00
canaletto walnut - grey oak	1454,00	1639,00	2003,00	2370,00
eucalyptus	1546,00	1732,00	2131,00	2424,00



handle positioning

Inside sliding kit (to add to the base price)

Single track € 203,00 / ml	Double track € 259,00 / ml	Triple track € 308,00 / ml
Early shipment of the track, on request € 35 / each		

surcharges for accessories (to add to the base price)

round handle with privacy and lock 61,00		squared handle 21,00		squared handle with privacy and lock 76,00		flush handle 69,00	
double pull handle HG500V in glass 394,00 586,00 / RAL		glass insert without decoration 191,00 / leaf RAL 250,00 / leaf with decoration (to quote)		RAL lacquering 168,00 / door		recessed handle (both sides) 181,00	

* limits due to size and weight may be present

SINGLE COMPONENTS ON REQUEST - Prices for addition of components

Bolt for double opening or swing door

58,00 / each



FIXING PROFILES SYSTEM

54 mm glazing bead – various finishes (compatible with CUBE frame)

94,00 / ml



37 mm glazing bead - various finishes (compatible with ISY frame)

94,00 / ml



XILO FRAME ARCHITRAVES

matte lacquered architrave kit, 3 pcs of 3000 mm (for all doors)

228,00 / standard colors
263,00 / RAL



matte lacquered brushed ash architrave kit, 3 pcs of 3000 mm (for all the doors)

293,00 / standard colors
337,00 / RAL



FALSE FRAME FOR ISY FRAME (optional, to be recessed, only for vertical profiles)

single false frame for finished hole, up to 2100

158,00

Kit for 5 false frame for finished holes, up to 2100

403,00

single false frame for finished hole, from 2100 to 2800

204,00

Kit for 5 false frame for finished holes, from 2100 to 2800

551,00

PERSONALIZATIONS

Glass shaping: +20%

Predisposition for personalized accessories: to quote

INTERIORS WALLPAPER

Vinyl wall covering with non-woven backing that has an embossed surface. Suitable for indoor application only (wall / ceiling), it is resistant to impacts and easy to maintain.

Supplied in 1000 x 6000 mm rolls (bxh)

595,00 € / each

100,00 €/mq

shipping costs up to 3 rolls: € 45,00
from for 4 rolls shipping included

Material:


Non-woven fabric
(70% cellulose - 20% synthetic fibre - 8% additives)

100% PVC spread on the decorative side
of wich 4% flameproof components

Total weight (-/+): 380 g/m2

Total thickness (-/+): 0,34 mm

Fire reaction certification: Class B-s2, d0 - USA Class A



Impact resistant



Fir proof



Embossed surface



Application with glue



Washable



Removable

SUBSTRATE PREPARATION AND APPLICATION

The surface, on which Wallpaper will be applied, must be smooth and white in colour. Solid, absorbent and free from oils, surfactants, water and dust. Any flaking parts should be removed. If there are ceramic tiles present, treat the surface with a skimming coating to make it completely smooth, removing any grout lines. You can then proceed to apply the glue and lay Raw. Every sheet should adhere flush to the wall. The rolls should be aligned correctly, not too far from one another and not overlapping to ensure the continuity of the pattern.

STANDARD CLEANING AND STAIN REMOVAL

Cleaning the wall paper is quick and easy: just dilute a mild detergent in warm water and immerse a soft cloth in this solution, taking care to rinse the treated surface with clear water. To prevent stains and marks, it is also a good idea to immediately remove marks to prevent any reaction of the covering to colours or solvents which could permanently fade the surface. We recommend testing all detergents in a hidden area, before cleaning, to make sure they are compatible with the covering.

NOTES AND DIMENSIONAL LIMITS

1 - All the measurements shown on the price list are expressed in millimeters. Prices are in EURO and do not include VAT.

2 - The dimensions indicated in the price tables refer to the maximum dimensions of the finished door.

3 - The finishes of the various accessories and profiles are painted white, anodised aluminum, titanium anodised, mocha anodized, black anodized; consult the general catalog to check the available colors and any restrictions. The transparent knob is included in the price of the doors (where indicated); for other accessories, increase the price by referring to the tables "Increase for accessories". In the Manhattan line the Avenue handle is already included in the base price.

4 - In Classic, Vision and Absolute sliding doors on outer surface of wall, the basic prices include the standard size sliding kit (according to the calculations in the technical manual); for particular needs such as sliding system, track and longer valance, consult the "accessories increase" table.

5 - In Vitra and Manhattan sliding doors on outer surface of wall, the glass price is inclusive of the door and transparent knobs / Avenue handle but not of the sliding system that must be calculated separately by following the appropriate table "Slide kit" positioned below the "Base price" table.

6 - The Absolute and Vision visible sliding system for sliding doors on outer surface of wall are suitable for holes without frames.

7 - The disappearing sliding door is designed to adapt to the Scigno ® Essential or Eclipse ® Syntesis box. For special needs or to check the adaptability to other models of metal boxes on the market, contact Henry Glass directly

8 - In the table "Surcharges for monolithic glasses" the price columns for frosted glass always refer to frosted / glossy glass. In the table "Surcharges for stratified glasses" the price columns relating to frosted glass always refer to glass in which both external surfaces are glossy.

9 - To ensure maximum customization, all lacquered glasses are double-sided so it is possible to combine on the two sides of the door glossy lacquered, frosted lacquered or mirrored colors.

10 - In the transparent or frosted stratified glass, the two tempered glasses are joined by a plastic interlayer with a total thickness of 0.76 mm; in the covering lacquered laminated glass, the plastic interlayer has a thickness of 0.38 mm.

11 - In reflective glass the reflectance is placed only on one of the two sides (priority view).

12 - The mat lacquered glass doors with mirrored finish or mirrored decoration, can be made with a maximum width of 1200 mm and a maximum height of 2800 mm. The mirror doors, being tempered, may not be perfectly flat; therefore a slight deformation of the mirrored image must be considered normal.

13 - In the mirrored decorations the decorations can be made in silver mirror (not in bronze or graphite mirror) while the bottom can be made with all the standard or RAL lacquering; it is also possible to make the mirror base and the lacquered decoration.

14 - The colors available for RAL lacquering must be selected from the RAL Classic folder.

15 - The HG500V glass pull handle is available in the entire range of covering and mirror lacquered colors. The two-sided version, that is with the two sides personalized by different colors / finishes, is allowed only in the glass doors and not in the Adela line wooden doors.

16 - The Essential subframe is a system patented exclusively by the company Scigno ® S.p.A. and is a registered trademark of the same company Scigno ® S.p.A.
The Syntesis counterframe is a system patented exclusively by the company Eclipse ® S.p.A. and is a registered trademark of the same company Eclipse ® S.p.A.

17 - The alignments between the decorations of adjacent doors of the same size are not normally guaranteed, while the alignment between the decorations of adjacent doors with different sizes is absolutely not guaranteed.

18. The alignments between the decorations of adjacent doors of the same size are not normally guaranteed while the alignment between the decorations of adjacent doors of different sizes is absolutely not guaranteed.

CUSTOM-MADE GLASS PANEL

surcharges for glasses and decorations (to add to the base price) refer to the tables on page 5

rectangular glasses : minimal billable amount 0,50 m²

shaped glasses: minimal billable amount 0,70 m²

base price - clear glass panel without decoration

glass thickness	€ / m²
4 mm	71,00
5 mm	87,00
6 mm	104,00
8 mm	139,00
10 mm	173,00

monolithic tempered glasses availability

glass thickness	glass finishes					
	clear	clear extralight	frosted	frosted extralight	grey or bronze clear	grey or bronze frosted
4 mm	X		X			
5 mm	X	X	X	X	X	X
6 mm	X		X			
8 mm	X		X			
10 mm	X	X	X	X	X	X

tempered stratified glasses availability

glass thickness	glass finishes						
	normal					reflective	
	clear	clear extralight bronze grey	frosted	frosted extralight bronze grey	maté	clear clear bronze clear grey (4+5 mm)	frosted frosted bronze frosted grey (4+5 mm)
5+5 mm	X	X	X	X	X	X	X

tempered stratified lacquered glasses availability

glass thickness	glass finishes			
	covering lacquered			
	standard glossy lacquered or mirrored	glossy lacquered RAL on request	standard frosted lacquered	frosted lacquered RAL on request
5+5 mm	X	X	X	X

N.B.

Stratified glass 5+5 mm: palstic film EVA of 0,76 mm; stratified lacquered glass 5+5 mm: plastic film EVA da 0,38 mm

Tempered process and polished edge included.

Surcharges for shaping: +20% (compared to the base price).

Glass dimensional limits: width from 400 mm to 1300 mm, height from 1200 mm to 2800 mm (excluding tapestries for which the maximum limit in width is 600 mm and in height is 1800 mm).

For requests for double glazing other than tapestries, contact the Henry glass sales office directly.

For the choice of the most suitable glass to be used it is essential to consider the place and the position of the laying, the intended use, the size of the products, the type of assembly, the stresses that are expected will affect the glasses. As far as safety is concerned, comply with the provisions of the current directives, and in particular with the UNI 7697 standard of May 2014.

HENRYGLASS.IT

HS047.A23EN

via Portobuffolè, 46 A/B
31040 Mansuè (TV) Italy
tel. +39 0422 209411
fax +39 0422 209494
www.henryglass.it
info@henryglass.it

I modelli e le immagini sono proprietà riservata e ne è vietata la riproduzione anche parziale